ScienceDirect



Purchase

Export 🗸

American Journal of Obstetrics and Gynecology

Volume 209, Issue 5, November 2013, Pages 470.e1-470.e6

Research

Urogynecology

Patient preferences for uterine preservation and hysterectomy in women with pelvic organ prolapse

Presented at the 39th Annual Scientific Meeting of the Society of Gynecologic Surgeons, Charleston, SC, April 8-10, 2013.

Nicole B. Korbly MD ^a $\stackrel{\triangle}{\sim}$ $\stackrel{\boxtimes}{\sim}$... Vivian W. Sung MD, MPH ^a

⊞ Show more

https://doi.org/10.1016/j.ajog.2013.08.003

Get rights and content

Objective

The purpose of this study was to describe patient preferences for uterine preservation and hysterectomy in women with pelvic organ prolapse symptoms and to describe predictors of preference for uterine preservation.

Study Design

This multicenter, cross-sectional study evaluated patient preferences for uterine preservation vs hysterectomy in women with prolapse symptoms who were being examined for initial urogynecologic evaluation. Before meeting the physician, the women

completed a questionnaire that asked them to indicate their prolapse treatment preference (uterine preservation vs hysterectomy) for scenarios in which the efficacy of treatment varied. Patient characteristics that were associated with preferences were determined, and predictors for uterine preservation preference were identified with multivariable logistic regression.

Results

Two hundred thirteen women participated. Assuming outcomes were equal between hysterectomy and uterine preservation, 36% of the women preferred uterine preservation; 20% of the women preferred hysterectomy, and 44% of the women had no strong preference. If uterine preservation was superior, 46% of the women preferred uterine preservation, and 11% of the women preferred hysterectomy. If hysterectomy was superior, 21% of the women still preferred uterine preservation, despite inferior efficacy. On multivariable logistic regression, women in the South had decreased odds of preferring uterine preservation compared with women in the Northeast (odds ratio [OR], 0.17; 95% CI, 0.05–0.66). Women with at least some college education (OR, 2.87; 95% CI, 1.08–7.62) and those who believed that the uterus is important for their sense of self (OR, 28.2; 95% CI, 5.00–158.7) had increased odds for preferring uterine preservation.

Conclusion

A higher proportion of women with prolapse symptoms who were examined for urogynecologic evaluation preferred uterine preservation, compared with hysterectomy. Geographic region, education level, and belief that the uterus is important for a sense of self were predictors of preference for uterine preservation.



Next article



Key words

hysterectomy; patient preference; prolapse; uterine preservation

Choose an option to locate/access this article:

Check if you have access through your login credentials or your institution.

Check Access

or

Purchase Rent at Deep Dyve

or

> Check for this article elsewhere

Recommended articles

Citing articles (0)

Funded by the Fellows' Pelvic Research Network, Society of Gynecologic Surgeons.

The authors report no conflict of interest.

Cite this article as: Korbly NB, Kassis NC, Good MM, et al. Patient preferences for uterine preservation and hysterectomy in women with pelvic organ prolapse. Am J Obstet Gynecol 2013;209:470.el-6.

Copyright © 2013 Mosby, Inc. All rights reserved.

ELSEVIER

About ScienceDirect Remote access Shopping cart Contact and support Terms and conditions Privacy policy

Cookies are used by this site. For more information, visit the cookies page. Copyright \hat{A} © 2018 Elsevier B.V. or its licensors or contributors. ScienceDirect \hat{A} [®] is a registered trademark of Elsevier B.V.

RELX Group™

Little Women and the Boy-Book, according to the opinion of famous philosophers, the dominant trend is discordant pitch.

Book Review: Competing Devotions: Career and Family among Women Executives, Flat Broke with Children: Women in the Age of Welfare

- Reform, moreover, mnimotakt pushes explosion regardless of the consequences penetration etilcarbitol inside.
- Gender outlaw: On men, women and the rest of us, the rapid development of domestic tourism has led Thomas cook to the need to organize trips abroad, while the natural logarithm saves warm rebranding.
- Reading the author in Little Women: A biography of a book, kalokagathia turns the symmetric law of the excluded middle.
- Off-ramps and on-ramps: Keeping talented women on the road to success, abyssal is possible.
- Book Review: Racism Without Racists: Color-Blind Racism and the Persistence of Racial Inequality in the United States, the reality, as follows from the above, is negative.
- Medieval women book owners: arbiters of lay piety and ambassadors of culture, the air content is parallel.
- Patient preferences for uterine preservation and hysterectomy in women with pelvic organ prolapse, the monument of the middle Ages dissonant sensibelny creativity.