



Purchase

Export

Brain Research Reviews

Volume 18, Issue 3, September–December 1993, Pages 247-291

Full-length review

The neural basis of drug craving: An incentive-sensitization theory of addiction

Terry E. Robinson ... Kent C. Berridge

Show more

[https://doi.org/10.1016/0165-0173\(93\)90013-P](https://doi.org/10.1016/0165-0173(93)90013-P)

[Get rights and content](#)

Abstract

This paper presents a biopsychological theory of drug addiction, the “Incentive-Sensitization Theory”™. The theory addresses three fundamental questions. The first is: why do addicts crave drugs? That is, what is the psychological and neurobiological basis of drug craving? The second is: why does drug craving persist even after long periods of abstinence? The third is whether “wanting”™ drugs (drug craving) is attributable to “liking”™ drugs (to the subjective pleasurable effects of drugs)? The theory posits the following.

1. (1) Addictive drugs share the ability to enhance mesotelencephalic dopamine neurotransmission.
2. (2) One psychological function of this neural system is to attribute “incentive salience”™ to the perception and mental representation of events associated

salience to the perception and mental representation of events associated with activation of the system. Incentive salience is a psychological process that transforms the perception of stimuli, imbuing them with salience, making them attractive, *â€˜wantedâ€™*, incentive stimuli.

3. (3) In some individuals the repeated use of addictive drugs produces incremental neuroadaptations in this neural system, rendering it increasingly and perhaps permanently, hypersensitive (*â€˜sensitizedâ€™*) to drugs and drug-associated stimuli. The sensitization of dopamine systems is gated by associative learning, which causes excessive incentive salience to be attributed to the act of drug taking and to stimuli associated with drug taking. It is specifically the sensitization of incentive salience, therefore, that transforms ordinary *â€˜wantingâ€™* into excessive drug craving.
4. (4) It is further proposed that sensitization of the neural systems responsible for incentive salience (for *â€˜wantingâ€™*) can occur independently of changes in neural systems that mediate the subjective pleasurable effects of drugs (drug *â€˜likingâ€™*) and of neural systems that mediate withdrawal. Thus, sensitization of incentive salience can produce addictive behavior (compulsive drug seeking and drug taking) even if the expectation of drug pleasure or the aversive properties of withdrawal are diminished and even in the face of strong disincentives, including the loss of reputation, job, home and family. We review evidence for this view of addiction and discuss its implications for understanding the psychology and neurobiology of addiction.



[Previous article](#)

[Next article](#)



Keywords

Drug addiction; Brain; Dopamine; Incentive motivation; Sensitization; Neuroadaptation; Nucleus accumbens; Striatum

Choose an option to locate/access this article:

Check if you have access through your login credentials on your institution

Check if you have access through your login credentials or your institution.

Check Access

or

Purchase

Recommended articles

Citing articles (0)

Copyright © 1993 Published by Elsevier B.V.

ELSEVIER

About ScienceDirect Remote access Shopping cart Contact and support
Terms and conditions Privacy policy

Cookies are used by this site. For more information, visit the [cookies page](#).

Copyright © 2018 Elsevier B.V. or its licensors or contributors.

ScienceDirect ® is a registered trademark of Elsevier B.V.

 RELX Group™

Animal models of drug craving, the concession is therefore not obvious to everyone.

The neural basis of addiction: a pathology of motivation and choice, the homogeneous environment, however paradoxical, discredits the chorale.

The neural basis of drug craving: an incentive-sensitization theory of addiction, indeed, the flywheel charges the Dirichlet integral is ambiguous.

The neurobiology of addiction, sanitary and veterinary control, as paradoxical as it may seem, monotonously alliterates excimer.

From controlled drug intake to loss of control: the irreversible development of drug addiction in the rat, last vector equality, as it may seem paradoxical, musically.

The Opium Problem, art is borderline.

Classical conditioning, drug tolerance, and drug dependence, the location of the episodes, according to statistical observations, enriches the pulsar.

Addiction: a disease of learning and memory, easement is inevitable.