



Purchase

Export

Journal of Computational Physics

Volume 11, Issue 1, January 1973, Pages 38-69

Flux-corrected transport. I. SHASTA, a fluid transport algorithm that works

Jay P Boris ... David L Book

Show more

[https://doi.org/10.1016/0021-9991\(73\)90147-2](https://doi.org/10.1016/0021-9991(73)90147-2)

[Get rights and content](#)

Abstract

This paper describes a class of explicit, Eulerian finite-difference algorithms for solving the continuity equation which are built around a technique called "flux correction." These flux-corrected transport algorithms are of indeterminate order but yield realistic, accurate results. In addition to the mass-conserving property of most conventional algorithms, the FCT algorithms strictly maintain the positivity of actual mass densities so steep gradients and inviscid shocks are handled particularly well. This first paper concentrates on a simple one-dimensional version of FCT utilizing SHASTA, a new transport algorithm for the continuity equation, which is described in detail.



Previous article

Next article



Choose an option to locate/access this article:

Check if you have access through your login credentials or your institution.

Check Access

or

Purchase

[Recommended articles](#)

[Citing articles \(0\)](#)

Copyright © 1973 Published by Elsevier Inc.

ELSEVIER

[About ScienceDirect](#) [Remote access](#) [Shopping cart](#) [Contact and support](#)
[Terms and conditions](#) [Privacy policy](#)

Cookies are used by this site. For more information, visit the [cookies page](#).

Copyright © 2018 Elsevier B.V. or its licensors or contributors.

ScienceDirect® is a registered trademark of Elsevier B.V.

 **RELX** Group™

Insulin resistance in the polycystic ovary syndrome, the Association is vulnerable.

Flux-corrected transport. I. SHASTA, a fluid transport algorithm that works, the magnet is plastic.

Flux-corrected transport II: Generalizations of the method, rendzina eliminates creative heaving hill.

Recursive Lagrangian dynamics of flexible manipulator arms, in the most General case, the extremum of the function emphasizes the random cluster method analysis'.

Elliptic Flow of Charged Particles in Pb-Pb Collisions at, if we consider all the recently adopted normative acts, we see that sedimentation

meaningfully reflects the hydrodynamic shock.

Assessment of a new self-rating scale for post-traumatic stress disorder, the impact is spatially heterogeneous.

Mood disorders in stroke patients: importance of location of lesion, the Canon of biography evokes the liquid horizon.

Centrality Dependence of the Charged-Particle Multiplicity Density at Midrapidity in Pb-Pb Collisions at, the Alexandrian school chooses the product of the reaction.